# **PETGAS Bibliography**

## **Quentin Fisher and Carlos Grattoni**

Centre for Integrated Petroleum Engineering and Geosciences

University of Leeds, Leeds, LS2 9JT

*E-mail: q.fisher@see.leeds.ac.uk* 

# 1. General Tight Gas Sands

Ammer, James R. et al. 2000. Technology for increased production from lowpermeability gas reservoirs: An overview of U.S. DOE's gas program-successes and future plans. Paper presented at 2000 SPE Rocky Mountain Regional/Low Permeability Reservoirs Symposium and Exposition. 12-15 March, at Denver, CO. SPE no. 60310: 1-15.

Billingsley, R.L. (2005) Identifying and Remediating High Water Production Problems in Basin-Centered Formations. DOE Award No. DE-FC26-02NT41437

Billingsley, R.L., and Kuuskraa, V. (2006) Multi-site application of the geomechanical approach for natural fracture exploitation. DOE Award No. DE-RA26-99FT40720.

Byrnes, Alan P and James W. Castle. 2000. Comparison of core petrophysical properties between low-permeability sandstone reservoirs: Eastern U.S. Medina group and Western U.S. Mesaverde group and Frontier formation. Paper presented at SPE Rocky Mountain Regional Low-Permeability Reservoirs Symposium and Exhibition. 12-15 March, at Denver, CO. SPE: 1-10.

Byrnes, Alan P. 1997. Reservoir characteristics of low permeability sandstones in the Rocky Mountains. RMAG Mountain Geologist 34-1: 37-48.

Byrnes, Alan P. 2003. Aspects of permeability, capillary pressure, and relative permeability properties and distribution in low permeability rocks important to evaluation, damage, and stimulation. Paper presented at 2003 RMAG/PTTC Fall Symposium. In Low- -Petroleum Core Petrophysics & Reservoir Assessment. DWLS Short Course 107 (2004).

Charpentier, Ronald R., B.E. Law and S.E. Prensky. 1986. Quantitative model of overpressured gas resources of Pinedale anticline, Wyoming. AAPG Bulletin 70-8: 1034-1035.

Dyman, Thaddeas S. and James W. Schmoker. 1997. Comparison of natural gas assessments. U.S. Geological Survey Open File Report no. 97-445: 1-30.

Dyman. Thaddeus S., James W. Schmoker and David H. Root. 1996. Assessment of deep conventional and continuous-type (unconventional) natural gas plays in the United States. U.S. Geological Survey Open File Report no. 96-529: 1-30.

Gas Research Institute (GRI). 2000. Multi-disciplinary analysis of tight gas sandstone reservoirs, Almond formation, Siberia Ridge, Wyoming. Contract #5094-210-3021.

Gwilliam, B. and Nuccio, V.F., (2000) Basin-Centred Gas Systems of the US. US Department of Energy, National Energy Technology Laboratory Report DE-AT26-98FT40031.

Harstad, Hugo, Lawrence W. Teufel and John C. Lorenz. 1995. Characterization and simulation of naturally fractured tight gas sandstone reservoirs. SPE no. 30573: 437-446.

Holditch, S.A. (2006) Tight Gas Sands. SPE 103356

Holditch, S.A. and Diyashev, I.R.: "Estimating Formation Permeability," Harts E&P (May 2000) 97-99.

Holditch, S. A. and Spivey, J. P.: "Estimate Recovery From Tight Gas Formation Wells," Petroleum Engineering International, August 1993, 20-23.

Holditch, S. A., Robinson, B. M., Whitehead, W. S. and Ely, J. W.: "The GRI Staged Field Experiment," SPE Formation Evaluation (Sept. 1988) 519-533.

Holditch, S. A., Robinson, B. M., and Whitehead, W. S.: "The Analysis of Complex Travis Peak Reservoirs in East Texas," SPE 16427 presented at the 1987 Low Permeability Reservoir Symposium in Denver, CO (May 18-19, 1987).

Iverson, W. P. and R. C. Surdam. 1995. Tight gas sand production from the Almond Formation, Washakie Basin, Wyoming. Paper presented at SPE symposium, Rocky Mountain Regional/Low-Permeability Reservoir at Denver, CO. 20-22 March: SPE paper 29559:163-176.

Jones, F. O. and Owens. W.W. 1980. A laboratory study of low-permeability gas sands. Journal of Petroleum Technology (JPT) (Sept): 1631-1640.

Keighin, C. William. 1992. Appendix 2: Pore throats. capillary pressures, porosity, and permeability. In Geologic controls and resource potential of natural gas in deep sedimentary basins in the United States, T.S. Dyman, ed. U.S. Geological Survey Open File Report no. 92-524: 76-85.

Law, Ben E. 2002. Basin-centered gas systems. AAPG Bulletin (Nov) 86-11: 1891-1919.

Law, Ben E. and J. B. Curtis. 2002. Introduction to unconventional petroleum systems. AAPG Bulletin (Nov) 86-11: 1851-1852.

Kordziel, Walter R. et al. 1996. A case study of integrating well-logs and a pseudo 3D multi-layer frac model to optimize exploitation of tight lenticular gas sands. Paper

presented at SPE European Petroleum Conference. 22-24 October, at Milan, Italy. SPE no. 36886: 129-141.

Kuuskraa, Vello A., Andrew L. Prestridge and John T. Hansen. 1995. Advanced technologies for producing massively stacked lenticular sands. Paper presented at SPE Gas Technology Conference. 28 April-1 May, at Calgary, Alberta, Canada. SPE no. 35630: 1-10.

Masters, J.A., 1979. Deep Basin gas trap, western Canada. AAPG Bulletin, v. 63.,152-181.

Payne, David A. 1996. Material-balance calculations in tight-gas reservoirs: the pitfalls of P/Z plots and a more accurate technique. SPE Reservoir Engineering 11-4: 260-267.

Shanley, K.W., R. M. Cluff and J. W. Robinson. 2004. Factors controlling prolific gas production from low-permeability Sandstone reservoirs: implications for resource assessment, prospect development, and risk analysis. AAPG Bulletin (Aug) 88:8:1083-1121.

Sturm, Stephen D. et al. 2001. Almond formation reservoir characterization and sweet spot analysis in Siberia Ridge field, Wyoming. In gas in the Rockies, ed. D.S. Anderson, John W. Robinson, Jane E Estes-Jackson and Edward B. Coalson. RMAG: 145-169.

# 2. Properties/techniques

## 2.1 Porosity/permeability

Amaefule, J.O., Wolfe, K., Walls., J.D., Ajufo, A.O., and Peterson, E. (1986) Laboratory determination of effective in low-quality reservoir rocks by the pulse decay technique. SPE 15149

Bloch, S. 1993. Empirical prediction of porosity and permeability in sandstone. AAPG Bulletin 75-7: 1145-1160.

Bourbie, T., and Walls, J. (1982) Pulse Decay Permeability: Analytical Solution and Experimental Test. Soc. Pet. Eng. J. 719-721.

Brace, W.F., Walsh, J.B., and Frangos, W.T. (1968) Permeability of Granite Under High Pressure. Journal of Geophysical Research, 73, 2225-2236.

Dicker, A.J. and Smits, R.M., (1988) A practical approach for determining permeability from laboratory pressure-pulse decay measurements. SPE 17578

Ertekin, T., King, G.R., and Schwerer, F.C., (1986) Dynamic gas slippage: A unique dual mechanism approach to the flow of gas in tight formations. SPE Form. Eval., 43-52.

Estes, R.K., and Fulton, P.F., (1951) Gas slippage and permeability measurements. Trans., AIME, 207, 338-342.

Hsieh, P. A., Tracy, J. V., Neuzil, C. E., Bredehoeft, J. D., and Silliman, S. E., (1981a) A transient laboratory method for determining the hydraulic properties of tight rocks-ii. application. Int.J.Rock.Mech.Min.Sci.Abstr, 18, 253–258.

Hsieh, P. A., Tracy, J. V., Neuzil, C. E., Bredehoeft, J. D., and Silliman, S. E., (1981b) A transient laboratory method for determining the hydraulic properties of tight rocks-i. theory. Int.J.Rock.Mech.Min.Sci.Abstr, 18, 245–252.

Jones S.C. (1997) A Technique for Faster Pulse-Decay Permeability Measurements in Tight Rocks. SPE 28450

Jones, F. O. and Owens. W.W. 1980. A laboratory study of low-permeability gas sands. Journal of Petroleum Technology (JPT) (Sept): 1631-1640.

Katz, A. J. and Thompson, A. H., (1986) Quantitative prediction of permeability in porous rock. Phys. Rev., B34, 8179–8181.

Klinkenberg, L. J., (1941) The permeability of porous media to liquids and gasses. Drilling and Production Practice, 200–213.

Lin, W., (1977) Compressible fluid flow through rocks of variable permeability. Lawrence Livermore Laboratory, Livermore, California, Rept., UCRL–52304.

Morrow, N.R., Brower, K.R., and Kilmer, N.H., (1984) Relationships of Pore Structure to Fluid Behaviour in Low Permeability Gas Sands. Final Report DOE/BC/10216-13 (DE84012721) US DOE Bartlesville.

Neuzil, C.E., Cooley, C., Silliman, S.E., Bredehoeft, J.D., and Hsieh, P.A., (1981) A Transient Laboratory Method for Determining the Hydraulic Properties of 'Tight' Rock – II. Application. Int. J. Rock Mech. Min. Sci. & Geomech. Abst. 18, 253-258.

Olsen, H. W., Gill, J. D., Willden, A. T., and Nelson, K. R., (1991) Innovations in hydraulic conductivity measurements. In Procs. Transportation Research Board 70th Annual

Olson, R. E. and Daniel, D. E. (1981). Measurement of the hydraulic conductivity of fine grained soils. In: Zimmie, T.F. and Riggs, C.O. (eds). Permeability and Groundwater Contaminant Transport, American Society for Testing of Materials, STP, 746, 18–64.

Rudd, N. (1966) Pulse decay measurement. SPE 1604.

Rushing, J.A., Newsham, K.E., Van Fraassen, K.C., (2003) Measurement of the twophase gas slippage phenomenon and its effects on gas relative permeability in tight gas sands. SPE 84297

Sampath, K. and C. W. Keighin. (1981). SPE/DOE Factors affecting gas slippage in tight sandstones. Paper presented at 1981 SPE/DOE Symposium on Low Permeability Gas reservoirs. 27-29 May 27-29, at Denver, CO. SPE/DOE paper no. 9872: 409-415.

Sampath, K., and Keighin, C.W., (1992) Factors affecting gas slippage in tight gas sandstones of Cretaceous age in the Uinta Basin. J. Petr. Tech., 2715-2720.

Walls, J.D., Nur, A.M. and Bourbie, T., (1982). Effects of pressure and partial water saturation on gas permeability in tight sands: experimental results. Journal of Petroleum Technology (JPT) (April): 930-936.

Wei, K.K., Morrow, N.R. and Brower, K.R. (1995) Effect of fluid, confining pressure and temperature on absolute permeabilities of low-permeability sandstones. SPE Formation Eval., 413-423.

Wel, K.K., N.R. Morrow and K.R. Brower. 1986. Effect of fluid, confining pressure, and temperature on absolute permeabilities of low-permeability sandstones. SPE Formation Evaluation (Aug): 413-423.

Zhang, M., Takahashi, M., Morin, R.H., and Esaki, T., (2000) Evaluation and Application of the Transient-Pulse Technique for Determining the Hydraulic Properties of Low-Permeability Rocks – Part 1: Theoretical Evaluation. American Society for Testing and Materials : Geotechnical Testing Journal, 83-90.

#### 2.2 Stress dependency of permeability

Davies, J.P. and Davies, D.K. (1999) Stress-Dependent Permeability: Characterization and **2.2** Modeling. SPE 56813.

Farquhar, R,A. Smart, B,G.D., Todd, A.C. Heriot-Watt U.; Tompkins, D.E. and Tweedie A.J, (1993). Stress Sensitivity of Low-Permeability Sandstones From the Rotliegendes Sandstone. SPE 26501

Gutierrez, M. L.E. Oino and R. Nygard. 2000. Stress-dependent permeability of a demineralised fracture in shale. Marine and Petroleum Geology 17-8: 895-907.

Kilmer, N.H., N.R. Morrow and J. K. Pitman. 1987. Pressure sensitivity of low permeability sandstones. Journal of Petrol. Science and Engineering 1: 65-81.

Lajtai, E.Z. and J.R. Alison. 1979. A study of residual stress effects in sandstone. Canadian Journal of Earth Science 16:1547-1557.

McLatchie, A.S., R.A. Hemstock, and J.W. Young. 1958. The effective compressibility of reservoir rock and its effects on permeability. Journal of Petroleum Technology (JPT) (June): 49-51.

Schutjens,P.M.T.M., Hanssen,T.H., Hettema, M.H.H., Merour,J., de Bree,J.Ph., Coremans, J.W.A., and Helliesen, G.(2001) Compaction-induced porosity/permeability reduction in sandstone reservoirs:Data and model for elasticitydominated deformation. SPE 71337.

Walls, J.D. 1981. Tight gas sands: permeability, pore structure and clay. Paper presented at 1981 SPE/DOE Symposium on Low Permeability Gas Reservoirs. 27-29 May, at Denver, CO. SPE/DOE Proceedings paper no. 9871: 399-407.

Walls, J.D., Nur, A.M. and Bourbie, T., (1982). Effects of pressure and partial water saturation on gas permeability in tight sands: experimental results. Journal of Petroleum Technology (JPT) (April): 930-936.

Wel, K.K., N.R. Morrow and K.R. Brower. 1986. Effect of fluid, confining pressure, and temperature on absolute permeabilities of low-permeability sandstones. SPE Formation Evaluation (Aug): 413-423.

## 2.3 Relative permeability

Akin, S., and Kovscek, A.R. (1999) Imbibition Studies of Low-Permeability Porous Media. SPE 54590.

Anderson, W.G. (1986d) Wettability literature survey – Part 5: The effects of wettability on relative permeability. SPE 16323.

Chowdiah, P. (1987) Laboratory measurements relevant to two-phase flow in tight gas sand matrix. SPE 16945.

Chowdiah, P. (1987) Measurements and Analysis of two-phase flow through low permeability media. Task 2. Experimental Research Final Report No., GRI-86/0123-1 prepared for Gas Research Institute under Contract No. 5082-260-0711. Institute of Gas Technology, Chicago.

Estes, R.K., and Fulton, P.F., (1951) Gas slippage and permeability measurements. Trans., AIME, 207, 338-342.

Fulcher Jr., R. A., Ertekin, T., & Stahl, C. D. (1985). Effects of Capillary Number and Its Constituents on Two-Phase Relative Permeability Curves. Society of Petroleum Engineers, Paper 12170.

Hildenbrand, A., Schl<sup>-</sup>omer, S., and Krooss, B. M., (2002) Gas breakthrough experiments on fine-grained sedimentary rocks. Geofluids, 2, 3–23.

Honarpour, M., Koederitz, L., and Harvey, A.H., (1986) Relative Permeability of Petroleum Reservoirs. CRC Press, Inc., Boca Raton FL, 15.

Honarpour, M., Koederitz, L.F. and Herbert Harvey, A. (1982) Empirical equations for estimating two-phase relative permeability in consolidated rock. Society of Petroleum Engineers. SPE 9966.

Honarpour, M., Koederitz, L.F. and Herbert Harvey, A. (1982) Empirical equations for estimating two-phase relative permeability in consolidated rock. Society of Petroleum Engineers. SPE 9966.

Jerauld, G. and Rathmell, J.J. (1994). Wettability and Relative Permeability of Prudhoe Bay: A Case Study in Mixed-Wet Reservoirs. SPE 28576.

Jones, F. O. and Owens. W.W. (1980) A laboratory study of low-permeability gas sands. Journal of Petroleum Technology (JPT) (Sept): 1631-1640.

Mulyadi, H., and Kennaird, F., (2001) Practical Approach to Determine Residual Gas Saturation and Gas-Water Relative Permeability. SPE 71523.

Ning, X. and Holditch, S. A.: "The Measurement of Gas Relative Permeability for Low Permeability Cores Using a Pressure Transient Method," SCA paper 9013 presented at the 4th Annual SCA Technical Conference, Dallas, TX (Aug. 15-16, 1990).

Rushing, J.A., Newsham, K.E., Van Fraassen, K.C., (2003) Measurement of the twophase gas slippage phenomenon and its effects on gas relative permeability in tight gas sands. SPE 84297

Ward, J.S. and Morrow, N.R., (1985) Capillary pressure and Gas Relative Permeabilities of Low Permeability Sandstone. SPE 13882.

Braun, E.M. and R.F. Holland. 1995. Relative permeability hysteresis: laboratory measurements and a conceptual model. SPE Reservoir Engineering 10-3: 222-228.

Fulcher, Jr.R.A., Ertekin, T. and Stahl, C.D. (1985) Effect of capillary number and its constituents on two-phase relative permeability curves. Society of PetroleumEngineers. SPE 12170.

Okui, A and Waples, D.W., (1993) Relative permeabilities and hydrocarbon expulsion from source rocks, In: Basin Modelling: Advances and Applications edited by A. G. Dore et al. NPF Special Publication 3, pp. 293-301, Elsevier, Amsterdam.

Thomas, Rex D. and Don C. Ward. 1972. Effect of overburden pressure and water saturation on gas permeability of tight sandstone cores. Journal of Petroleum Technology (JPT) (Feb): 120-124.

Ward, Jill S. and Norman R. Morrow. 1987. Capillary pressures and gas relative permeabilities of low-permeability sandstone. SPE Formation Evaluation (Sept): 345-356.

#### 2.4. Capillary pressure

Akin, S., and Kovscek, A.R. (1999) Imbibition Studies of Low-Permeability Porous Media. SPE 54590.

Amott, E. (1959) Observations relating to the wettability of porous rocks. Trans. AIME 216, 156-162.

Anderson, W.G. (1985) Wettability literature survey – Part 4: The effects of wettability on capillary pressure. SPE 15271.

Calhoun, Jr., J. C., Lewis, Jr., M., Newman, R.C., (1949) Experiments on the Capillary Properties of Porous Solids. Trans AIME 186, 189-196.

Comisky, J.T., Newsham, K.E., Rushing, J.A., and Blasingame, T.A., (2007) A comparative study of capillary-pressure-based empirical methods for estimating absolute permeability of tight gas sands. SPE 110050.

Dastidar, R., Sondergeld, C.H., and Rai, C.S., (2007) An improved empirical permeability estimator from mercury injection data. Petrophysics, 48, 186-187.

Firoozabadi, Abbas and Jan Hauge. 1990. Capillary pressure in fractured porous media. Journal of Petroleum Technology (JPT) 42-6: 784-791.

Forbes, P (1991) Simple and accurate method for converting centrifuge data into drainage and imbibition capillary pressure curves, in Proceedings of the Society of Core Analysts Annual Conference, San Antonio, 1991, pp. 20–22.

Forbes, P (1997) Quantitative Evaluation of Gravity Effects on Centrifuge Capillary Pressure Curves, Society of Core Analysts.

Forbes, P.L. Chen, Z. A. and Ruth, D. W. (1994) Quantitative Analysis of Radial Effects on Centrifuge Capillary Pressure Curves, Society of Petroleum Engineers, Richardson, TX,.

Forbes, P.L., ed.,(1997) Centrifuge Data Analysis Techniques—A Survey from the Society of Core Analysts, 1997.

Handy, L.L (1960) Determination of Effective Capillary Pressure for Porous Media from Imbibition Data," Pet. Trans. AIME, 219, 75-80.

Heut, C.C., Rushing, J.A., Newsham, K.E., and Blasingame, T.A. (2005) A modified Purcell/Burdine Model for estimating absolute permeability from mercury injection capillary pressure data. Paper IPTC 10994. International Technology Conference, Doha.

Hildenbrand, A., Schlömer, S., and Krooss, B. M., (2002) Gas breakthrough experiments on fine-grained sedimentary rocks. Geofluids, 2, 3–23.

Kamath, J., (1992) Evaluation of accuracy of estimating air permeability from mercury injection data. SPEFE, December, 191-198.

Mason, G. (1991). Discussion of pore-scale heterogeneity from mercury porosimetry data: reply to H.H. Yuan's paper. SPE Formation Evaluation 6-2: 241.

Ma, S., Jian, M., and Morrow, N.R. (1991) Correlation of capillary pressure relationships and calculations of permeability. SPE 22685.

Melrose, J.C., (1987) Use of Water Vapour Deposition Data in the Determination of Capillary Pressure. SPE 16286.

Melrose, J.C., (1990) Valid capillary pressure data at low wetting phase saturation. SPE 18331. SPE Reservoir Engineering. Feb, 95-99.

Narayanaswamy, G., Pope, G.A., Sharma, M.M., Hwang, M.K., and Vaidya, R.N. (1999) Predicting gas condensate well productivity using capillary number and non-Darcy effects. *SPE Reservoir Simulation Symposium*, SPE 51910.

Newsham, K.E., and Rushing, A. J., (2000) Laboratory and field observations of an apparent sub capillary equilibrium water saturation distribution in a tight gas sand reservoir. SPE 75710.

Newsham, K.E., Lasswell, P. M., and Rushing, A. J., (2003) Use of vapour desorption data to characterise the capillary pressures in a basin-centered gas accumulation with ultra-low connate water saturation. SPE 84596.

Newsham, K.E., Rushing, A. J., Lasswell, P. M., Cox, J. C., and Blasingame, T. A., (2004) A comparative study of laboratory techniques for measuring capillary pressures in tight gas sands. SPE, SPE 89866.

Pittman, E. D. (1992). Relationship of porosity and permeability to various parameters derived from mercury injection-capillary pressure curves for sandstones. AAPG Bulletin 76-2: 191-198.

Purcell, W. R. (1949) Capillary pressures-their measurement using mercury and the calculation of permeability therefrom. American Institute of Mechanical Engineers, Petroleum Transactions, 186, 39–48.

Sanyal, S.K., H.J. Ramey, Jr. and S.S. Marsden. Jr. (1973). The effect of temperature on capillary pressure properties of rocks. Transactions of the SPWLA Fourteenth Annual Logging Symposium. (6-9 May 1973): paper N1-N16.

Swanson, B.F., (1979) A simple correlation between permeabilities and mercury capillary pressure. SPE 8234.

Swanson, B.F., A simple correlation between permeabilities and mercury capillary pressures. J. Pet. Tech., 2498-2504.

Thompson, A.H., Katz, A.J., and Raschke, R.A., (1987) Estimation of absolute permeability from capillary pressure measurements. SPE 16794.

Thomson, W., (1871) On the equilibrium of vapous at a curved surface of liquid. Phil. Mag. 42, 448-52.

Vavra, C. L., J. G. Kaldi and R. M. Sneider. (1992) Geological applications of capillary pressure: a review. AAPG Bulletin 76-6: 840-850.

Walls, J.D., and Amaefule, J.O. (1985) Capillary pressure and permeability relationships in tight gas sands. SPE 13879.

Ward, J.S. and Morrow, N.R., (1985) Capillary pressure and Gas Relative Permeabilities of Low Permeability Sandstone. SPE 13882.

Ward, J. S. and N. R. Morrow. (1987) Capillary pressures and gas relative permeabilities of low-permeability sandstone. SPE Formation Evaluation (Sept): 345-356.

## 2.5 Ultrasonic velocity

Ayan, C., Petricola, M., Knight, P., and Lalanne, B., (2007) An investigation of nearwellbore flow properties using sonic scanner measurements and interval pressure transient testing. SPE 110304.

Fairhurst, D.L., Marfice, J.P., Seim, M.R., and Norville, M.A. [2000] Completion and fracture modeling of low-permeability gas sands in south Texas enhanced by magnetic resonance and sound wave technology. *SPE/CERI Gas Technology Symposium*, SPE 59770.

Grechka, V. and M. Kachanov, 2006, Effective elasticity of fractured rocks: The Leading Edge, 25, no. 2, 152–155.

Grochau, M. and B. Gurevich, 2008, Investigation of core data reliability to support time–lapse interpretation in Campos Basin, Brazil: Geophysics, 73, no. 2, E59–E65.

Hall, S., J.-M. Kendall, J. Maddock, and Q. Fisher, 2008, Crack density tensor inversion for analysis of changes in rock frame architecture: Geophysical Journal International, 173, 577–592.

Han, D.-H., 1986, Effects of porosity and clay content on acoustic properties of sandstones and unconsolidated sediments: Ph.D. thesis, Stanford University.

Hemsing, D., 2007, Laboratory determination of seismic anisotropy in sedimentary rock from the Western Canadian Sedimentary Basin: Master's thesis, University of Alberta.

Jizba, D., 1991, Mechanical and acoustical properties of sandstones and shales: Ph.D. thesis, Stanford University. Exploring trends in microcrack properties of dry rocks

Lubbe, R., J. Sothcott, M. Worthington, and C. McCann, June 2007, Laboratory estimates of normal/shear fracture compliance ratio Laboratory estimates of normal/shear fracture compliance ratio, European Association of Geoscientists and Engineers 69th Conference & Exhibition, F026.

Lubbe, R., J. Sothcott, M. Worthington, and C. McCann, 2008, Laboratory estimates of normal and shear fracture compliance: Geophysical Prospecting, 56, 239–247.

MacBeth, C. and H. Schuett, 2007, The stress dependent elastic properties of thermally induced microfractures in aeolian Rotliegend sandstone: Geophysical Prospecting, 55, 323–332.

MacBeth, C., 2004, A classification for the pressure–sensitivity properties of a sandstone rock frame: Geophysics, 69, no. 2, 497–510.

Palciauskas, V., 1992, Compressional to shear wave velocity ratio of granular rocks: role o frough grain contacts: Geophysical Research Letters, 19, no. 16, 1683–1686.

Rojas, M., 2005, Elastic rock properties of tight gas sandstones for reservoir characterization at Rulison Field, Colorado: Master's thesis, Colorado School of Mines.

Sayers, C. and M. Kachanov, 1995, Microcrack–induced elastic wave anisotropy of brittle rocks: Journal of Geophysical Research, 100, 4149–4156.

Sayers, C., 2002, Stress-dependent elastic anisotropy of sandstones: Geophysical Prospecting, 50, 85–95.

Schoenberg, M. and C. Sayers, 1995, Seismic anisotropy of fractured rock: Geophysics, 60, no. 1, 204–211.

Schubnel, A. and Y. Gu'eguen, 2003, Dispersion and anisotropy of elastic waves in cracked rocks: Journal of Geophysical Research, 108, no. B2, 15.

Tod, S., 2002, The effects of stress and fluid pressure on the anisotropy of interconnected cracks: Geophysical Journal International, 149, 149–156.

Valcke, S., M. Casey, G. Lloyd, J.-M. Kendall, and Q. Fisher, 2006, Lattice preferred orientation and seismic anisotropy in sedimentary rocks: Geophysical Journal International, 166, 652–666.

Walsh, J., 1965a, The effect of cracks on the compressibility of rock: Journal of Geophysical Research, 70, 381–389.

Walsh, J., 1965b, The effect of cracks on the uniaxial elastic compression of rocks: Journal of Geophysical Research, 70, 399–411.

Wang, Z., 2002, Seismic anisotropy in sedimentary rocks, part 2: Laboratory data: Geophysics, 67, no. 5, 1423–1440.

Worthington, M., July 2008, Interpreting seismic anisotropy in fractured reservoirs: First Break, 26, 29–35.

## 2.6 NMR

Ayala, N.M. Munoz, R., Rice, R. Palacios, C., Tourne, J.P., Leuro, R., and Fam, M. (2007) New integrated application using T1 and T2 modes of magnetic resonance in tight gas reservoirs: A case study from New Mexico. SPE paper 107634.

Brown, J.A., Jackson, J.A., Brown, L.F., Milewski, J.V., and Travis, B.J., 1982, NMR logging tool development--laboratory studies of tight gas sands and artificial porous material: Los Alamos National Laborataory Report No. LA-UR-82-447, 20 p. Also published in 1982 as SPE-10813.

Cowgill, D.F., Pitman, J.K., and Seevers, D.O., 1981, NMR determination of porosity and permeability of western tight gas sands, SPE-9875,

Dodge, W.S., Guzman-Garcia, A., Noble, D., LaVigne, J., and Akkurt, R., 1998, A case study demonstrating how NMR logging reduces completion uncertainties in low porosity, tight gas sand reservoirs, paper VV, <u>in</u> 39th annual logging symposium transactions: Society of Professional Well Log Analysts, 14 p.

Fairhurst, D.L., Marfice, J.P., Seim, M.R., and Norville, M.A. [2000] Completion and fracture modeling of low-permeability gas sands in south Texas enhanced by

magnetic resonance and sound wave technology. *SPE/CERI Gas Technology Symposium*, SPE 59770.

Freeman, R., Minh, C.C. and Gubelin, G., Freeman, J.J., McGinness, Th., Terry, B., Rawlence, D., (Combining NMR and density Logs for Petrophysical Analysis in Gas-Bearing Formations), SPAWLA 39th Annual.

Freedman, R. (2006) Advances in NMR logging. Journal of Petroleum Technology, 60-66.

Hamada, G.M. and Al-Blehed, M.S. and Al-Awad, M.N., 2000 "Nuclear magnetic resonance log evaluation of low resistivity sandstone reservoir by-passed by conventional logging analysis": SPE paper 64406.

Hamda, G.M., Abushanab, M.A. and Oraby, M.E., (2008) New NMR approach evaluates tight gas sand reservoirs. Oil and Gas Journal, June, 46-53.

Hamada, G.M. AbuShanab, M.A., and Oraby, M.El. (2008) Petrophysical properties evaluation of tight gas sand reservoirs using NMR and conventional openhole logs. SPE 114254.

Menger, S., and Prammer, M.: (Can NMR Porosity replace Conventional Porosity in Formation Evaluation?) SPWLA 39th Annual Logging symposium, May 26-29, 1998.

Oraby, M., (A new methodology to Calculate a Lithology Independent Variable T2 Cutoff for Nuclear Magnetic Resonance Interpretation), SPE in Saudi Arabia Annual, Daharan October 10-12 2000.

## 2.7 Electrical properties

Archie, G.E., (1950) Electrical Resistivity Log as an aid in determining some reservoir characteristics. Trans AIME, 146, 54-62.

Bynes, A.L., Cluff, R.M., and Webb, J., (2006) Analysis of critical permeability, capillary pressure, and electrical properties for Mesaverde Tight Gas Sandstones from Western U.S. Basins. DOE Contract No. DE-FC26-05NT42660.

Katz, A. J. and Thompson, A. H., (1987) Prediction of rock electrical conductivity from mercury injection measurements. J. Geophys. Res., 92, 599–607.

## 3. Wire-line log interpretation

Cluff, Robert M. 2002. The origin of Jonah field: evidence for pressure leakage from sonic and resistivity log anomalies in the northern Green River basin, Wyoming. RMAG Newsletter 51-6: 4.

Cluff, Robert M. and Catherine M. Murphy. 1997. Upper Almond (Mesaverde group) paleoshoreline trends, eastern Green River basin, Wyoming. American Association of Petroleum Geologists Bulletin 81-7: 1221

Cluff, Robert M. and Suzanne G. Cluff. 1997. Log analysis of Mesaverde sandstone gas reservoirs, Piceance basin, Colorado. AAPG Bulletin 81-7: 1221.

de Hemptinne, J-C. et al.1997. Influence of water on estimation of gas in place. SPE Reservoir Engineering (Aug) 12-3: 207-210.

Golke, M., and Brudy, M., 1996, Orientation of crustal stresses in the North Sea and Barents Sea inferred from borehole breakouts: Tectonophysics, v. 266, p. 25-52.

Gongora, Cesar Augusto: "Correlations to Determine In-situ Stress from Open-Hole Logging Data in Sandstone Reservoirs", MS Thesis at Texas A&M University, 12/1/1995.

Haimson, B.C., and Song, I., 1995, A new borehole failure criterion for estimating in situ stress from breakout span, <u>in</u> Fujii, ed., 8th international congress on rock mechanics, v. 2: International Society for Rock Mechanics, Tokyo, Japan, p. 341-346

Healy, J.H., Hickman, S.H., Zoback, M.D., and Ellis, W.L., 1984, Report on televiewer log and stress measurements in core hole USW-G1, Nevada test site, December 13-22, 1981: U.S. Geological Survey Open-File Report 84-15, 47 p.

Hickman, S.H., Healy, J.H., and Zoback M.D., 1985, In situ stress, natural fracture distribution, and borehole elongation in the Auburn geothermal well, Auburn, New york: Journal of Geophysical Research, v. 90, no. B7, p. 5497-5512. Later reprinted in 1990, <u>in</u> Borehole imaging reprint volume: Society of Professional Well Log Analysts, p. 371-386.

Kukal, G.C. et al. 1983. Critical problems hindering accurate log interpretation of tight gas sand reservoirs. Paper presented of the SPE AIME/U.S. DOE Symposium on Low Permeability Reservoirs. 14-16 March, at Denver, CO. SPE/DOE 11620: 181-190.

Lorenz, J.C., Arguello, J.G., Stone, C.M., Harstad, H., Teufel, L.W., and Brown, S.R., 1995, Prediction of fracture and stress orientations--subsurface Frontier Formation, Green River Basin, topical report: Gas Research Institute Report GRI-95/0151, 96 p

Moos, D., and Morin, R.H., 1991, Observations of wellbore failure in the Toa Baja well--implications for the state of stress in the north coast Tertiary basin, Puerto Rico: Geophysical Research Letters, v. 18, no. 3, p. 505-508.

Paillet, Frederick L. 1985. Problems in fractured-reservoir evaluation and possible routes to their solution. SPWLA Log Analyst 26-6: 26-34, 39-41.

Parra, Jorge O. et al. 2000. A methodology to integrate resonance and acoustic measurements for reservoir characterization. Pub Southwest Research Institute, San Antonio, TX. Annual Report (April 1999-April 2000) DOE/BC no. 15203-1.

Pezard, Philippe A. and Stefan M. Luthi. 1988. Borehole electrical images in the basement of the Cajon Pass scientific drillhole, California; fracture identification and tectonic implications. American Geophysical Union (AGU) Research Letters (August supplement) 15-9: 1017-1020.

Pezard, Philippe A. et al.1988. Fracture distribution and basement structure from measurements of electrical resistivity in the basement of the Cajon Pass scientific drillhole, California. American Geophysical Union (AGU) Research Letters (August supplement) 15-9: 1021-1024.

Pirson, S.J. 1967. How to ma: fracture development from logs. World Oil (March): 106, 108, 113-114.

Plumb, R.A., and Hickman, S.H., 1985, Stress-induced borehole elongation--a comparison between the four-arm dipmeter and the borehole televiewer in the Auburn geothermal well: Journal of Geophysical Research, v. 90, no. B7, p. 5513-5521. Later reprinted in 1990, <u>in</u> Borehole imaging reprint volume: Society of Professional Well Log Analysts, p. 407-415.

Prensky, S.E., 1992, Borehole breakouts and in-situ stress--a review: The Log Analyst, v. 33, no. 3, p. 304-312.

Rollins, J. B., Holditch, S. A., and Lee, W. J.: "Characterizing Average Permeability in Oil and Gas Formations," SPE Formation Evaluation, March 1992, 99-105.

Sanders, L. and J. Bray. Date. The fracture Intensity log—a proven technique for evaluating fracturing in low permeability reservoirs. SPE no. 25894: 1-9.

Schechter, David S. and Ashish K. Banik. 1997. Integration of petrophysical and geological data with open-hole logs for identification of the naturally fractured Spraberry pay zones. Paper presented at the 1997 SPE Annual Technical Conference and Exhibition. 5-8 October, at San Antonio. TX. SPE: 715-724.

Schubarth, S. M. Mullen and C. Kessler. 1998. Successful prediction of well productivity from openhole logs improves profitability in several Rocky Mountain formation: case histories. Paper presented at the SPWLA 39th Annual Logging Symposium. 26-29 May 26 – 29. SPWLA Transactions: AA 1-AA12.

Semmelbeck, M.E., Dewan, J. T. and Holditch, S. A.: "Invasion-Based Method for Estimating Permeability from Logs," paper SPE 30581.

Semmelbeck, Mark E. and Holditch, S. A.: "The Effects of Mud-Filtrate Invasion on the Interpretation of Induction Logs," SPE Formation Evaluation (June 1988) 386-392.

Tobola, D. P. and Holditch, S. A.: "Determination of Reservoir Permeability From Repeated Formation Logging," SPE Formation Evaluation (March 91) 20-26.

Walls, J.D., Dvorkin, J., and Mavko, G., 1996, In-situ stress magnitude and azimuth from well log measurements, final report: Gas Research Institute Report GRI-95/0356, 147 p

Whitehead, W. S., Hunt, E. R., and Holditch, S. A.: "The Effects of Lithology and Reservoir Pressure on the In-Situ Stresses in the Waskom (Travis Peak) Field," SPE 16403.

Whitehead, W. S., Hunt, E., Finley, R. J., and Holditch, S. A.: "In-Situ Stress: A Comparison Between Log Derived Values and Actual Field Measured Values in the Travis Peak formation of East Texas and Northeast Louisiana," SPE 15209.

Yao, C. Y. and Holditch, S. A.: "Estimating Permeability Profiles Using Core and Log Data," paper SPE 26921 presented at the 1993 SPE Eastern Regional Meeting, Pittsburgh, PA, Nov. 2-4.

Yao, C. Y. and Holditch, S. A.: "Reservoir Permeability Estimation From Time-Lapse Log Data," SPE 25513 presented at the 1993 Production Operations Symposium, Oklahoma, OK, March 21-23.

Yao, C. Y., and Holditch, S. A.: "Reservoir Permeability Estimation from Time-Lapse Log Data", SPE 25513, SPE Formation Evaluation, (June 1996) 69-74.